

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20161215-R37894  
**Report Reference** R37894-20161206  
**Issue Date** 2016-DECEMBER-15

**Issued to:** ARABIAN FIBERGLASS INSULATION CO LTD  
150th St, 2nd Industrial Area  
PO Box 1289  
Damman 31431 SAUDI ARABIA

**This is to certify that  
representative samples of**

PIPE- AND EQUIPMENT-COVERING MATERIALS  
The product covered by this Procedure section is a hollow cylindrical glass fiber unit faced with a Foil-Adhesive-Fiberglass-Cloth jacket (cloth surface exposed), having an optional self-sealing lap, intended for use as pipe and equipment coverings  
+ - Longitudinal joints secured with metal fasteners, or factory applied SSL. Transverse joints may be secured with butt strip tape supplied with the product.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** Standard for Surface Burning Characteristics for Building Materials, UL723, Tenth Edition

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

